

[Web](#) [Images](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▾](#)

[Sign in](#)

Google

user name, notification, record identifier "map

Search

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 79,600 for **user name, notification, record identifier "mapping"**. (0.25 seconds)

[PDF] **Lead Individual Case Notification Message Mapping Guide**

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Mapping Methodology. INV114. Reporting Source. Name Notification. ID. The unique identifier for the. notification record. ...

www.cdc.gov/phn/library/documents/pdf/Lead%20Case%20Notification%20Message%20Mapping%20Guide%2008172007.pdf - [Similar pages](#)

Export or Import Bibliographic Records [OCLC]

If a record exists (group project): Copy the library identifier from the 951 field in the ... In the Local System Password window, enter a user name and, ...

www.oclc.org/support/documentation/connexion/client/cataloging/exportimport/default.htm - 69k - [Cached](#) - [Similar pages](#)

[PPT] **What is Event Notification?**

File Format: Microsoft Powerpoint - [View as HTML](#)

User name. Sensitive Information. Buddy List,. Private data. Encrypted with public key. Insensitive Info. Profile. Account **Record.** Authentication Procedure ...

www.mcstudios.net/files/authentication_presentation.ppt - [Similar pages](#)

Mnemonic discovery and notification method, product, and apparatus ...

1d is a block diagram illustrating identifier generator components stored in memory

Notification may then be provided in step 765 to the user of any ...

www.patentstorm.us/patents/7120236-description.html - 57k - [Cached](#) - [Similar pages](#)

draft-ietf-pana-aaa-interworking-00 - PANA AAA Interworking.

27 8.3 PANA and Diameter Session-Identifier Mapping In this case the session identifier could be User- Name(1). However, in certain EAP methods, ...

tools.ietf.org/html/draft-ietf-pana-aaa-interworking - 100k - [Cached](#) - [Similar pages](#)

Notification protocol for establishing synchronization mode for ...

For example, an Add operation of a record to a initiator requires a response mapping of the temporary record identifier to the application database unique ...

www.freepatentsonline.com/7007003.html - 115k - [Cached](#) - [Similar pages](#)

Integrating IBM Rational Portfolio Manager with IBM Rational ...

It enables you to map the Rational ClearQuest record types into the Rational Portfolio

Resource Mapping using Login Name/Username image of workspace ...

www.ibm.com/developerworks/rational/library/07/1016_johnson/ - 61k -

[Cached](#) - [Similar pages](#)

[PPT] **www.bridgeport.edu/sed/fcourses/cpe473/Lectures/WI...**

File Format: Microsoft Powerpoint - [View as HTML](#)

The Owner Identifier is found in the Owner ID field of all Name-IP address mapping table's records that were created/updated by the WINS server at this IP ...

[Similar pages](#)

n

Usually a note alert simply offers information, and the user responds by clicking the ...
notification record: The internal representation of a notification ...

developer.apple.com/documentation/macos8/Glossary/Content/n.html - 19k -
[Cached](#) - [Similar pages](#)

[PDF] [active interest - the state of an right/interest , regulated use ...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ILRR **record identifier**. - a unique number assigned to the **record** when the **record** is
added. to the ILRR database. IMF. - Internet **Mapping** Framework - The ...

ilmbwww.gov.bc.ca/ilrr/PDF/Documentation/ILRR_Glossary_Definitions.pdf - [Similar pages](#)

[1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **[Next](#)**

Download [Google Pack](#): free essential software for your PC

user name, notification, record identifier

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#) | [Try Google Experimental](#)

©2007 Google - [Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

	L #	Search Text	DBs	Time Stamp	Hits
1	L1	entrust.asn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:11	171
2	L2	nathoo.in. and karim.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:12	0
3	L3	bramble.in. and tim.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:12	0

	L #	Search Text	DBs	Time Stamp	Hits
4	L4	syed.in. and shan.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:12	7
5	L5	713/156.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:12	958
6	L6	713/156.ccls. and "record- user mapping"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:13	0

	L #	Search Text	DBs	Time Stamp	Hits
7	L7	380/30.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:13	1359
8	L8	380/30.ccls. and "record- user mapping"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:13	0
9	L9	709/225.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:13	3167

	L #	Search Text	DBs	Time Stamp	Hits
10	L10	709/225.ccls. and "record-user mapping"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:13	0
11	L11	709/229.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:13	3722
12	L12	709/229.ccls. and "record-user mapping"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:14	0

	L #	Search Text	DBs	Time Stamp	Hits
13	L13	"record-user mapping" near "database" near "remote notification"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:14	0
14	L14	"certificate" near "database" near "remote notification"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:14	0
15	L15	"remote notification" near "record identifier" near "user name"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:14	0

	L #	Search Text	DBs	Time Stamp	Hits
16	L16	"remote notification" and "record"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:15	193
17	L17	(record near3 user)with (mapping)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:15	208
18	L18	L16 and L17	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:15	0

	L #	Search Text	DBs	Time Stamp	Hits
19	L19	(username near address near mapping) with (send\$3) adj (notif\$7)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:16	0
20	L20	(record or identifier) near3 user with (mapping)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:17	540
21	L21	(username) near3 address with (notification)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:17	23

	L #	Search Text	DBs	Time Stamp	Hits
22	L22	L20 and L21	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B	2007/12/21 14:17	0